

The Industry Leader in
Stainless Steel Drainage Systems

www.KuselEquipment.com



Floor Drains
Trench Drains
Cleanouts
P-Traps
Custom Drains

KUSEL
EQUIPMENT CO.

Phone: 920.261.4112
e-Mail: Sales@KuselEquipment.com



KE SERIES DRAINS

OUTLET SIZES

2" Schedule 40 Outlet
 3" Schedule 40 Outlet
 4" Schedule 40 Outlet
 6" Schedule 40 Outlet

KUSEL KE SERIES FLOOR DRAINS offer practical application for manufacturing, processing, warehousing and storage, where sanitation, durability and accessibility are critical. Dairies, cheese plants, beverage, canning, chemical, pharmaceutical, packaging plants and warehouses will welcome this easy way to eliminate waste water drainage problems. The unique KUSEL design, manufactured from stainless steel, assures resistance to acid, corrosion and staining.

KE-SERIES DRAINS 2" to 4" are certified by NSF as Special Duty based on ASME A112.6.3. with a load rating of over 10,000 lbs.



OPTIONS

Body Type

T304
 T316L
 Low Profile
 Deep Body
 Coned Body
 Round Top
 Side Outlet

Baskets

Perforated
 Solid Weir Type
 Outlet Strainers

Covers

Solid (Standard)
 Drilled
 Closing
 Custom covers with slots,
 bar grating, half covers,
 funnels, etc.

Outlets

No Hub
 Butt Weld
 Inside Caulk
 Internal Threads
 External Threads
 Schedule 10
 Schedule 40

Accessories

Setting/Flashing Ring
 Membrane Clamping Ring
 Setting Tabs
 Security Hold Down
 Primer Fittings
 Outlet Plugs
 ...& Many More!

KEM SERIES DRAINS



The Kusel KEM Floor Drain offers a practical solution for those areas that require a pedestrian application where sanitation, durability and accessibility are necessary.

8 inch O.D.
Sanitary Design
T316L Stainless Steel
Available in 2", 3", 4" or 6" outlets

Options: Setting Ring
Strainer Cup

NSF

Kusel KEM Series Floor Drains are certified by NSF with a load classification of heavy duty based on ASME A112.6.3 w/ a load rating of between 5,000 & 7,499 lbs.

KE SERIES CLEAN-OUTS

PVC Plug
"O" Ring seal
4" or 6" outlets
T304 Stainless Steel
Industrial Satin Finish
Standard Screw Cover
Extra Heavy Duty Rating
Stainless Steel Construction



NSF

KUSEL KEC Series Cleanouts of 4" to 6" are certified by NSF with a load classification of extra heavy duty based on ASME A112.36.2M w/ a load rating of between 7,500 and 10,000 lbs.



HUB-DRAINS

Ideal for pipes and hoses requiring an atmosphere break. Available in T304 or T316L Stainless Steel and a variety of sizes.

P-TRAPS

Full Welds
Sizes 1-1/2" to 10"
Choice of Connections
Schedule 40 or Schedule 10
Available in T304 or T316L Stainless Steel




TRENCH DRAINS & FLOOR SINKS

Custom manufactured to your unique requirements.

All Stainless Steel Construction – T304 or T316L
Optional baskets & grate styles are also available.

Custom sizes and configurations are available to meet your requirements.



Kusel's "Classic Trench Drains" are available in various standard sizes with reduced pricing and lead times. Contact factory for information.



OPTIONS: Setting Tabs
 Flat, U or V Bottoms
 KE Series Floor Drain Sump
 Solid Plate or Bar Grates available
 Custom catch basins or pipe outlets



Kusel Trench Drains with a solid cover are certified by NSF as Special Duty based on ASME A112.6.3 with a load rating of 10,000 lbs.

Kusel Trench Drains with a bar grate are certified by NSF as Medium Duty based on ASME A112.6.3 with a load rating of between 2,000 and 4,999 lbs.

www.KuselEquipment.com

Sales@KuselEquipment.com

LOW PROFILE



Designed for areas where construction requires a shallow body or areas with low debris content. Available with 2", 3", 4", 6" or 8" outlets in T304 or T316L Stainless Steel.

SIDE OUTLET

Kusel's KE Series Floor Drain is available where a side outlet is required. The drain is the same as our standard KE-100 Series Floor Drain and available in 3" and 4" outlets, in T304 or T316L Stainless Steel.



CONE BOTTOM




The KE Series Floor Drains are also available with an optional "Cone Bottom" to the outlet. Available in T304 or T316L Stainless Steel.

DEEP BODY

The KE Series Floor Drains are available with a "Deep Body" for increased floor thickness where heavy flow and debris are of concern. Available in T304 or T316L Stainless Steel.



COVERS



STANDARD COVERS

Kusel offers a series of standard covers to accommodate most applications. A "solid" cover which allows for a 1/2" gap around the top plate opening, a "drilled" cover with 1/2" diameter holes and a "closing" cover with an "O-Ring" for sealing purposes.

CUSTOM COVERS

Kusel offers a variety of "custom" covers based upon your unique requirements. Available in T304 or T316L Stainless Steel.

The Industry Leader in
Stainless Steel Drainage Systems

www.KuselEquipment.com

NSF INFORMATION

NSF

Product Type	Material Type	Trade Name	Product Standard
FLOOR DRAINS	SS304	KE SERIES	ASME A112.6.3
Certified for outlet sizes 2" to 4" with a load classification of special duty.			
FLOOR DRAINS	SS316	KE SERIES	ASME A112.6.3
Certified for outlet sizes 2" to 4" with a load classification of special duty.			
FLOOR DRAINS	SS316	KEM SERIES	ASME A112.6.3
Certified for outlet sizes 2" to 3" with a load classification of heavy duty.			
TRENCH DRAINS	SS304	TRENCH DRAIN	ASME A112.6.3
Solid Cover Certified with load classification of special duty. Bar grate Certified with load classification of medium duty.			
TRENCH DRAINS	SS316	TRENCH DRAIN	ASME A112.6.3
Solid Cover Certified with load classification of special duty. Bar grate Certified with load classification of medium duty.			
CLEANOUTS	SS304	KEC SERIES	ASME A112.36.2M
Certified for outlet sizes 4" to 6" with a load classification of extra heavy duty.			
For additional information regarding ASME Standards, visit ASME at " www.asme.org ." For additional information regarding NSF Certification, visit NSF at " www.nsf.org ."			

P.O. Box 87
820 West Street
Watertown, WI 53094

Phone: 920-261-4112
Fax: 920-261-3151

www.KuselEquipment.com
Sales@KuselEquipment.com

Floor Drains
Trench Drains
Cleanouts
P-Traps
Custom Drains

KUSEL
EQUIPMENT CO.